DANCOVER®

Manual Part 2 Safety Advice

Thank you!

Thank you for choosing a Dancover carport. We hope that you will enjoy the product. For you to get the most out of your new carport, we recommend that you read this Safety Advice carefully before you assemble and start using the carport!

Please note that it is your responsibility to comply with local rules and regulations and to ensure that the carport is assembled correctly according to the enclosed manual. It is very important that you assemble all parts according to the instructions and fasten the carports to the base with the enclosed anchors or similar fittings. Do not skip any parts or any steps.

We also recommend that you keep this manual somewhere safe so that you can use it when necessary.

Attention!

Before you start to assemble the carport, please be sure to check that everything you need is there according to the list of parts in this manual. Be sure that you have received everything and that nothing is missing or damaged. In case of missing or damaged parts, please fill out a Claim to Dancover before you start assembling the carport!

Important!

Please follow the instructions as listed in this manual and start the assembly by sorting the parts and check against the list of contents. For safety purposes we strongly recommend that the product is assembled by at least two people.

Some parts have sharp edges so please be careful when handling components. Always wear gloves, shoes and safety goggles during assembly. Do not attempt to assemble the carport in windy or wet conditions.

Dispose of all packaging responsibly and be careful with the plastic bags and keep them away from small children as they pose a choking hazard. In general, keep children away from the assembly area.

Do not attempt to assemble the carport if you are tired, have taken drugs, medications or alcohol, or if you are prone to dizzy spells. When using a stepladder or power tools, ensure that you are follow the manufacturer's safety advice. Do not climb or stand on the roof of the carport or lean heavy items against the poles. Please note that this product was designed and produced to be a carport only!

If you at some point want to clean your carport, use a mild detergent solution and rinse with cold clean water. Do not use acetone, abrasive cleaners, or others special detergents to clean the carport.

Weather conditions

When the carport is assembled and in use, keep the roof and gutters free of snow, dirt, and leaves. Too much wet and heavy snow on the roof can damage the carport so make sure that you remove wet snow frequently. Water will run off the carport by itself.

The carport must be placed on a solid and level base like concrete, flagstones, or asphalt. Choose your site carefully before beginning assembly. During assembly use a soft material under the parts to avoid scratches and damages. When the carport has been assembled, it is important that you fasten the carport to the base with anchors or similar to avoid accidents in windy weather and bad weather in general.

Insurance

Make sure to check whether your carport is covered by your house contents insurance or similar.

Warranty information

Dancover warranty applies only to the normal use of the product, normal wear and tear excepted, in accordance with written use instructions or manual. The warranty does not apply to damage caused by accident, abuse, misuse, or modification of the product.

Please visit dancovershop.com for information on warranty.

Please always check our website for the latest safety advice and manual.