

DANCOVER[®]

.com

Manual Part 2
Safety Advice

Attention!

Please read these instructions and safety advice before you start to assemble your polytunnel greenhouse. Please check if all parts are there before starting to assemble the structure. Defects or missing parts must be claimed to Dancover before assembling the greenhouse. Dancover cannot be held responsible for damages caused during assembly of the product like scratches, dents, tears, or similar.

Keep these instructions in a safe place for future reference.

Customer Service

Do you have questions in regard to your new product or do you need spare parts, please visit our shop or contact us by phone, e-mail or use our chat.

Safety Advice

When establishing a polytunnel greenhouse, it is your responsibility to comply with local rules and regulations and to ensure that the polytunnel greenhouse is assembled correctly according to the enclosed manual. It is very important that you assemble all parts according to the instructions. Do not skip any parts or any steps.

Attention!

Please note that a polytunnel greenhouse is intended as a seasonal form of coverage and not as a permanent structure!

Make sure that the weather is dry and not windy when assembling and setting up the polytunnel greenhouse! In general, do not place your greenhouse in an area with strong wind.

Do not attempt to assemble this structure if you are tired, have taken drugs or alcohol.

Always fasten the frame and/or the cover to the ground to prevent accidents in case of strong wind.

We recommend that you use self-adhesive foam tape on the frame of your polytunnel greenhouse on the so-called hot-spots – where the cover touches the frame. The soft foam tape will protect your cover and prolong the lifespan of the cover as it slows down tearing, wearing and heat degradation.

Rain and strong wind

A polytunnel greenhouse is a light and interim structure and should only be used during the spring and in the summer. If the weather forecast has a warning for bad weather, you may have to consider removing the cover for safety reasons. When placing the polytunnel greenhouse, pay attention to the risk of fallen branches or strong wind, which can create a potential hazard to the greenhouse.

When it rains, there is a risk of rain water gathering on the top of the cover. If water is gathering on top of the roof of the polytunnel greenhouse, the weight will make the structure collapse. It is your responsibility to ensure that rain water cannot build up to tart with. As a precaution, make sure the cover of the polytunnel greenhouse is stretched out properly over the frame at all times. If water starts to assemble anyway, it is your responsibility to remove the water regularly.

Check the greenhouse regularly

As mentioned, a polytunnel greenhouse is a light seasonal cover, and it is your responsibility to ensure that the greenhouse is safely secured and fastened to the base/ground so the structure does not cause damage to others in case of bad weather.

When fastening the frame of the polytunnel greenhouse, be sure not to hit any hidden cables or pipes in the ground when inserting the ground pegs, ground anchors, or similar.

Insurance

Please check whether a polytunnel is covered by your home contents insurance.

Warranty information

Dancover warranty applies only to the normal use of the product, normal wear and tear excepted, in accordance with written use instructions or manual.

Please visit dancovershop.com for information on warranty.

Please always check our website for the latest safety advice and manual.