

### Manual Storage tent PRO 8x12x4,4m PVC

# DANCOVER

#### **Safety Advice**

#### Attention

In some countries approval is needed to set up a marquee/tent larger than 75 m2. It is your responsibility to comply with local rules and regulations and to ensure that the marquee/tent is assembled correctly.

 $(\mathbf{R})$ 

In case of bad weather conditions, it is your responsibility to ensure the marquee/tent is safely secured and that the marquee/tent does not cause damage to others.

Do not use open fire, welding equipment or other sources which can ignite, inside or close to the tent.

The marquee/tent must be safely secured. We recommend you secure your marquee/tent with straps and pegs as soon as it is assembled. Make sure to check if the marquee/tent is covered by your home contents insurance.

Marquees/tents must be evacuated under extreme weather conditions. In the event of snow always remove snow from the roof of the marquee/tent regularly to prevent snow from building on the roof as heavy snow can cause the marquee/tent to collapse.


In the event of rain there is a risk of rain puddles building up on top of the roof of the marquee/tent. Heavy rain puddles can cause the roof to collapse. It is your responsibility to ensure rain puddles do not build up. As a precaution, make sure theroof of the marquee/tent is stretched out properly and adequately over the side frames of the marquee/tent and remove rain water regularly.


Description	ID Nummer		Quantity
Pipe 1483 mm 50-50 with holes at the bottom	1	( <u>)</u> 0000	14
Pipe 1912 mm 38-38 with one hole each side	2	( <u>) 。</u> 。)	50
Pipe 1960 mm 50-50 with one hole each side	3	0 • •)	28
Pipe 750 mm roof enforcement 8-series vertical	4	()	7
Pipe 1987 mm roof enforcement 8-series horizontal	5	(°)	14
Pipe 1483mm 50-50 with holes	6	() o o)	14
Connector 3-way 110° 54-42 with rings	7		4
Connector 3-way 140° 54-42 with sheet+rings	8		2
Connector 4-way 140° 54-42 with sheet+rings	9		5
Connector 4-way 110° 54-42 with rings	10		10
Connector 3-way flat 54-42 with sheet	11		4


Connector 4-way flat 54-42 with sheet	12		10
Foot 3-way 54-42 endwall side right with ring	13		2
Foot 3-way 54-42 endwall side left with ring	14		2
Foot 3-way 54-42 sidewall side with rings	15		10
Foot 3-way 42-42 endwall side	16		6
Foot 3-way 42-42 endwall side	17		4
Groundbar on end	18	() o o)	4
Groundbar on end	19	() o o )	4
Pillar	20	٥	4
Pillar	21	( ) ( )	4
Pillar rail	22	6	4
Tension bar	23		12

Steelwire buckle set for side	24		8
Steelwire buckle set for roof	25		12
Bungee 14 cm type 1	26	$\mathbb{S}$	164
Peg spiral	27		4
Peg 8x300 mm	28		20
Peg 4x180 mm	29		48
Floor Bracket	30		12
Nail 40cm	31		24
Rope 5 m	32		4
Spanner hex	33		1
Screw M6x30 mm	34		28
M6 wing nut	35	P	28

Screw M8X50 mm	36	O	102
Screw M8X70 mm	37	O THE MERIDIAN	112
M8 wing nut	38	P	214
Tit down	39	Contraction of the second seco	4
Steel clip	40		36
Roof	41		1
End wall	42		2







## **DANCOVER**<sup>®</sup>

Contact information

#### Head office:

Dancover A/S Nordre Strandvej 119 G 3150 Hellebæk Denmark For more information please visit: www.dancovershop.com

#### National contact

Denmark: denmark@dancover.com

UK: uk@dancover.com

Germany: germany@dancover.com

France: france@dancover.com

Sweden: sverige@dancover.com

Finland: suomi@dancover.com

Poland: polska@dancover.com

Luxembourg: luxembourg@dancover.com Spain: espana@dancover.com

Italy: italia@dancover.com

Switzerland: schweiz@dancover.com

Austria: austria@dancover.com

Norway: norge@dancover.com

Nederland: nederland@dancover.com

Ireland: ireland@dancover.com

Belgium: belgique@dancover.com