DANCOVER®

Manual for Greenhouse 2,48x3,68x2,26m

DANCOVER®

Safety Advice

Attention

In some countries or areas, you may have to obtain permission when setting up structures like greenhouses or similar buildings exceeding a certain size. It is your responsibility to comply with local rules and regulations and to ensure that the greenhouse is assembled correctly.

In case of bad weather conditions, it is your responsibility to ensure the greenhouse is safely secured and that the structure does not cause damaged to others. Be sure to close doors and windows in the greenhouse, remove any loose objects in the garden, which may hit the greenhouse if the wind takes hold of it. Secure the garden trampoline and ask your neighbours to do the same. Please check the garden in general for loose or broken branches and other objects that may cause a danger in case of windy weather. Do not use open fire, welding equipment or other sources of ignition, inside or close to the greenhouse.

When you buy a greenhouse and set it up in your garden, we recommend that you check whether your home insurance covers the structure. At the same time, you are not supposed to be inside the greenhouse during extreme weather conditions.

This structure has not been tested for specific snow and wind loads! Make sure you follow our general safety advice and in the event of snow, always remove excessive amounts of snow from the greenhouse to prevent too much snow on the roof of the greenhouse. Heavy snow may cause the roof or entire structure to collapse.


Note: Dancover warranty applies only to the normal use of the greenhouse, normal wear and tear excepted, in accordance with written use instructions or manual. The warranty does not apply to damage caused by accident, abuse, misuse or modification of the greenhouse.

Warranty Information

Please visit dancovershop.com for information on warranty.

Please always check our website for the latest safety advice and manual.

Greenhouse Assembly Instruction



TO PREVENT INJURY, READ AND UNDERSTAND THE GREENHOUSE ASSEMBLY INSTRUCTIONS BEFORE USE.

Notes:

- 1. It takes about 3-4 hours to assemble the greenhouse by 2-3 persons.
- 2. The UV-protected side of the sheet is covered with opal white film and must face towards the sun.
- 3.Remove approximately 2 inches of film from all sheet edges before installing.Removing all film immediately after the construction is completed
- 4. Make sure the greenhouse is located on a flat, level surface.

GENERAL SAFETY, WARNINGS AND PRECAUTIONS

KEEP WORK AREA CLEAN AND DRY.

Cluttered, damp or wet work areas invite injuries.

STAY ALERT. Watch what you are doing at all times. Use common sense. Do not use the greenhouse when you are tired or distracted from the job at hand. It is recommended to use gloves for assembling the greenhouse.

MAINTAIN THIS PRODUCT WITH CARE.

Keep the greenhouse clean and dry for better performance: maintenance should be performed regularly.

USE THE RIGHT PRODUCT FOR THE JOB.


Do not attempt to force a small product to do the work of a larger industrial product. There are certain applications for which the greenhouse was designed. It will do the job better and more safely in the manner for which it was intended. Do not modify the greenhouse and do not use the greenhouse for a purpose for which it was not intended.


MAINTAIN A SAFE WORKING ENVIRONMENT.

Keep the work area tidy. Make sure there is adequate surrounding workspace. Avoid high traffic areas. Always keep the work area free of obstructions, grease, oil, trash and other debris.

PROPER GREENHOUSE LOCATION.


Make sure the greenhouse is located on a flat, level surface.






Notes: Front


- 1.Remove approximately 2 inches of film from all sheet edges before installing. remove all film immediately after the constructions completed.
- 2. The UV-protected side of the sheet is covered with opal white film and must face towards the sun.




PARTS LIST


	BASE					WINDO)W		
IMAGE	NO.	L.(mm)	QTY	Box No.	IMAGE	NO.	L.(mm)	QTY	Box No.
	C-63	350	4	1/2	_,-1	C-21	575	2	1/2
	C-F1	1277	2	1/2	, Afr	C-22	575	2	1/2
	C-F2	2400	2	1/2	E	C-44	620	2	1/2
	C-C2	2477	2	1/2	* *	C-A37	596x611	2	2/2
	C-56		2	1/2					
	C-D3	2428	1	1/2		DOOF	₹		
	C-F4	1401	2	1/2	IMAGE	NO.	L.(mm)	QTY	Box No.
	C-F4a	2227	2	1/2	Æ	C-D10	2430	1	1/2
	C-C4	2428	1	1/2		C-D23	620	4	1/2
	WALL AND				_e _a_	C-D24	620	4	1/2
IMAGE	NO.	L.(mm)	QTY	Box No.		C-D25	1720	3	1/2
	C-D6	1375	4	1/2	ן ד	C-D25a	1720	1	1/2
	C-D7	1375	1	1/2		F-22b		8	1/2
	C-D8	1375	1	1/2	2 2	C-D39	590x618	4	2/2
U U	C-D9	1375	2	1/2	2 %	C-D40	354x618	2	2/2
	C-D11	1375	10	1/2					
	C-D12	1375	10	1/2		PLAST			
	C-D13	1725	1	1/2	IMAGE	NO.	L.(mm)	QTY	-
	C-D14	1725	1	1/2		C-P1R		2	1/2
	C-D48	2045	1	1/2	Ø	C-P1L		2	1/2
	C-D53	568	2	1/2	0	C-P2		2	1/2
	C-D15	1725	1_	1/2		C-49		2	1/2
	C-D16	1725	1	1/2		C-51		2	1/2
	C-D50	1172	1_	1/2		C-F52		24	1/2
T	C-F17	2000	1	1/2		C-54		15	1/2
糸	C-F17a	1632	1	1/2		C-55		6	1/2
ا الأم	C-F18	2096	2	1/2		C-45	400	2	1/2
	C-F18a	1550	2	1/2		C-46	400	2	1/2
	C-F19	2227	2	1/2	_	C-47	300	1	1/2
	C-F19a	1401	2	1/2	6 6 6	C-F57		220	1/2
	C-D26	1419	4	1/2		C-67		2	1/2
	C-D27	1832	4	1/2	ST4x13	C-F58		40	1/2
	C-D28	1832	6	1/2	ST4x8	C-F59		20	1/2
	C-A29	558.5	2	1/2	ST4x8	C-F60		4	1/2
<u> </u>	C-D30	2300	1	1/2	ST3x6	C-F61		4	1/2
" "	C-D31	1722x585	2	2/2	0000	C-F62		2	1/2
" "	C-D32	1722x585	2	2/2	4]	C-65		2	1/2
2 2 2	C-D34	1382x585	12	2/2					\vdash
2 2	C-D35	1392x585	10	2/2					\vdash
*	C-D36	781x585	2	2/2					\vdash
	C-D38	4040 505		2/2					\vdash
2 "	C-D41	1349x585	2	2/2					$\vdash \vdash \vdash$
2 2	C-D42	706x585	1	2/2					\vdash
* */	C-D43	706x585	1	2/2					\vdash
1344.05	WINDO								\vdash
IMAGE	NO.	L.(mm)		Box No.					\vdash
<u> </u>	F-20	360	2	1/2					
<u>-</u>	C-A20	600	4	1/2					








	C-F1	2
	C-F2	2
	C-56	2
0	C-F57	16
S	C-F58	8


















	C-D6	4
	C-F52	8
10	C-F57	8









C-F19	2
C-F19a	2
C-46	2








	C-F52	4
	C-D27	4
	C-F57	4
6	C-F57	8




	C-F52	1
1	C-D13	1
1	C-D14	1
1	C-D48	1
	C-D15	1
	C-D16	1
	C-A29	2
0	C-F57	8














	C-D53	2
0	C-F57	4





















© C-F57 4




000000000000000000000000000000000000000	C-51	2
· · · · ·	C-55	1
6	C-F57	15










Window




5_	C-A20	4
	C-21	2
	C-22	2
	F-20	2
" "	C-A37	2
	C-F59	12
6	C-F57	8













# #	C-D36	2
11 11 11	C-D35	10







<u> </u>	C-44	2
©	C-F57	4










	C-F58	4
4.	C-65	2
	C-P1R	2
	C-P1L	2





() C-P2 2





It is not necessary but we would advise:

For additional strength, you can also use some glue or tapes between the polycarbonate panel and the aluminium frame to enhance the stability.

Note: Silicone sealant and glue gun are not included in our tool kit. You can buy them locally.

Only use silicone sealant suitable for aluminium

DANCOVER®

Contact information

Head office:

Dancover A/S Nordre Strandvej 119 G 3150 Hellebæk Denmark For more information please visit: www.dancovershop.com

National contact

Denmark: 70 26 76 20

denmark@dancover.com

UK: 020 8099 7570 uk@dancover.com

Germany: 041 0266 7040 germany@dancover.com

France: 0975 181 800 france@dancover.com

Sweden: 040 233 262 sverige@dancover.com

Finland: 0 931 581 720 suomi@dancover.com

Poland: 22 300 8602 polska@dancover.com

Luxembourg: +49 041 0266 7040

luxembourg@dancover.com

Portugal: 308 800 899 portugal@dancover.com

Spain: 911 436 828

espana@dancover.com

Italy: 02 479 21 198 italia@dancover.com

Switzerland: 0840 000125 schweiz@dancover.com

Austria: 0662 626935 austria@dancover.com

Norway: 231 00 690 norge@dancover.com

Nederland: 0 858 880 524 nederland@dancover.com

Ireland: 0 151 33 003 ireland@dancover.com

Belgium: 0 28 08 08 09 belgique@dancover.com